


Structures of
W02001/25187

1 333748-94-0/BI
 (333748-94-0/RN)
 1 333748-95-1/BI
 (333748-95-1/RN)
 1 333748-96-2/BI
 (333748-96-2/RN)
 1 333748-97-3/BI
 (333748-97-3/RN)
 1 333748-98-4/BI
 (333748-98-4/RN)
 1 333748-99-5/BI
 (333748-99-5/RN)
 1 333749-00-1/BI
 (333749-00-1/RN)
 1 333749-01-2/BI
 (333749-01-2/RN)
 1 333749-02-3/BI
 (333749-02-3/RN)
 1 333749-03-4/BI
 (333749-03-4/RN)
 1 333749-04-5/BI
 (333749-04-5/RN)
 1 42191-51-5/BI
 (42191-51-5/RN)
 1 7051-34-5/BI
 (7051-34-5/RN)
 1 75279-55-9/BI
 (75279-55-9/RN)
 1 77831-51-7/BI
 (77831-51-7/RN)

 L2 42 (103-80-0/BI OR 19227-11-3/BI OR 280110-81-8/BI OR 3215-64-3/BI
 OR 333748-59-7/BI OR 333748-61-1/BI OR 333748-64-4/BI OR 333748-
 66-6/BI OR 333748-68-8/BI OR 333748-71-3/BI OR 333748-73-5/BI
 OR 333748-75-7/BI OR 333748-77-9/BI OR 333748-78-0/BI OR 333748-
 79-1/BI OR 333748-80-4/BI OR 333748-81-5/BI OR 333748-82-6/BI
 OR 333748-83-7/BI OR 333748-84-8/BI OR 333748-85-9/BI OR 333748-
 86-0/BI OR 333748-87-1/BI OR 333748-88-2/BI OR 333748-89-3/BI
 OR 333748-91-7/BI OR 333748-93-9/BI OR 333748-94-0/BI OR 333748-
 95-1/BI OR 333748-96-2/BI OR 333748-97-3/BI OR 333748-98-4/BI
 OR 333748-99-5/BI OR 333749-00-1/BI OR 333749-01-2/BI OR 333749-
 02-3/BI OR 333749-03-4/BI OR 333749-04-5/BI OR 42191-51-5/BI OR
 7051-34-5/BI OR 75279-55-9/BI OR 77831-51-7/BI)

=> d scan


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2,3-dichloro-N-hydroxy- (9CI)
 MF C8 H8 Cl2 N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):41

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneethanimidamide, N-hydroxy-.alpha.-methyl- (9CI)
MF C9 H12 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneethanimidamide, 2,4-dichloro-N-hydroxy- (9CI)
MF C8 H8 Cl2 N2 O
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-dichlorophenyl)ethylidene]- (9CI)
MF C20 H20 Cl2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-(trifluoromethoxy)phenyl]ethylidene]- (9CI)
MF C21 H21 F3 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[(2-fluoro-6-(trifluoromethyl)phenyl)ethylidene]- (9CI)
 MF C21 H20 F4 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[2-[(6-chloro-2-fluoro-3-methylphenyl)-1-[(cyclopropylmethoxy)amino]ethylidene]- (9CI)
 MF C21 H22 Cl F N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[(2,3,6-trichlorophenyl)ethylidene]- (9CI)
 MF C20 H19 Cl3 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-dimethylphenyl)ethylidene]- (9CI)
 MF C22 H26 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2-chloro-6-fluoro-N-hydroxy- (9CI)
 MF C8 H8 Cl F N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetonitrile, 2,6-dichloro- (9CI)
 MF C8 H5 Cl2 N






PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2,3,6-trichloro-N-hydroxy- (9CI)
 MF C8 H7 Cl3 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetonitrile, 2-chloro-6-fluoro- (9CI)
 MF C8 H5 Cl F N




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[6-(difluoromethoxy)-2,3-difluorophenyl]ethylidene]- (9CI)
 MF C21 H20 F4 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[2-(2-chloro-6-fluorophenyl)-1-
[(cyclopropylmethoxy)amino]ethylidene]- (9CI)
MF C20 H20 Cl F N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[2-(2-chloro-3,6-difluorophenyl)-1-
[(cyclopropylmethoxy)amino]ethylidene]- (9CI)
MF C20 H19 Cl F2 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[2-(2-chlorophenyl)-1-[(cyclopropylmethoxy)amino]ethylidene]- (9CI)
MF C20 H21 Cl N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN

IN Benzeneacetamide, N- [2- (2-chloro-6-fluoro-3-methylphenyl) -1- [(cyclopropylmethoxy)amino]ethylidene] - (9CI)
MF C21 H22 Cl F N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N- [1- [(cyclopropylmethoxy)amino] -2- (2,3,6- trifluorophenyl)ethylidene] - (9CI)
MF C20 H19 F3 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneethanimidamide, 2,6-dichloro-N-(cyclopropylmethoxy) - (9CI)
MF C12 H14 Cl2 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneethanimidamide, 2,3,6-trifluoro-N-hydroxy- (9CI)
MF C8 H7 F3 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Cyclopropane, (bromomethyl)- (7CI, 8CI, 9CI)
 MF C4 H7 Br




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2-fluoro-N-hydroxy-6-(trifluoromethyl)- (9CI)
 MF C9 H8 F4 N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2,6-dichloro-N-hydroxy- (9CI)
 MF C8 H8 Cl2 N2 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-(trifluoromethyl)phenyl]ethylidene]- (9CI)

MF C21 H21 F3 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-difluorophenyl)ethylidene] - (9CI)
MF C20 H20 F2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3,5-trifluorophenyl)ethylidene] - (9CI)
MF C20 H19 F3 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,4-dichlorophenyl)ethylidene] - (9CI)
MF C20 H20 Cl2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[(cyclopropylmethoxy)amino]-2-(2,3-difluoro-6-methoxyphenyl)ethylidene] - (9CI)
 MF C21 H22 F2 N2 O3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[(cyclopropylmethoxy)amino]-2-phenylpropylidene] - (9CI)
 MF C21 H24 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2-chloro-N-(cyclopropylmethoxy)-6-fluoro- (9CI)
 MF C12 H14 Cl F N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 3,5-dichloro-N-hydroxy- (9CI)
 MF C8 H8 Cl2 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, N-hydroxy- (9CI)
 MF C8 H10 N2 O
 CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneethanimidamide, 2-chloro-N-hydroxy- (9CI)
 MF C8 H9 Cl N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneethanimidamide, 2,6-difluoro-N-hydroxy- (9CI)
MF C8 H8 F2 N2 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-[2-fluoro-5-(trifluoromethyl)phenyl]ethylidene]- (9CI)
MF C21 H20 F4 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-phenylethylidene]- (9CI)
MF C20 H22 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetamide, N-[2-[2-chloro-5-(trifluoromethyl)phenyl]-1-[(cyclopropylmethoxy)amino]ethylidene]- (9CI)
MF C21 H20 Cl F3 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(3,5-dichlorophenyl)ethylidene]- (9CI)
 MF C20 H20 Cl2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,6-difluoro-3-methylphenyl)ethylidene]- (9CI)
 MF C21 H22 F2 N2 O2




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
 IN Benzeneacetamide, N-[1-[(cyclopropylmethoxy)amino]-2-(2,3-dichlorophenyl)ethylidene]- (9CI)
 MF C20 H20 Cl2 N2 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 42 ANSWERS REGISTRY COPYRIGHT 2003 ACS on STN
IN Benzeneacetyl chloride (9CI)
MF C8 H7 Cl O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED